

SAFETY DATA SHEET

Version 4

Revision Date 14-Oct-2021

1. IDENTIFICATION

Product identifier Product Name	Black Magic Foaming All Wheel Cleaner	
<u>Other means of identification</u> Product Code Document	11172 SKU 120009	
Recommended use of the chemica	l and restrictions on use	
Recommended Use Uses advised against	Tire Cleaner & Wheel Cleaner No information available	
Details of the supplier of the safety	v data sheet	
Supplier Address ITW Global Brands 16200 Park Row, Suite 120 Houston, TX 77084	Manufacturer Address	Manufactured and Distributed by:
Distributor		May Also Be Distributed by:
Company Phone Number 24-hour emergency phone number (CHEMTREC) 1-800-424-9300 or 1-7 (RMPDC) 1-877-504-9352 (U.S.)		
E mail address, SDS@itwah.com		

E-mail address: SDS@itwgb.com

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2
Gases under pressure	Compressed gas

Label elements

Emergency Overview

<u>Signal word</u> Danger

Causes serious eye damage Suspected of causing cancer May cause damage to organs through prolonged or repeated exposure Contains gas under pressure; may explode if heated



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

May be harmful if swallowed. Causes mild skin irritation. Harmful to aquatic life with long lasting effects.

Unknown acute toxicity

18.3 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
PETROLEUM GASES, LIQUIFIED	68476-85-7	5 - 10
Diethanolamine	111-42-2	1 - 5

4. FIRST AID MEASURES

Description of first aid measures	
General advice	Get medical advice/attention if you feel unwell.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin contact	IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician. Take off contaminated clothing and wash before reuse.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.

Ingestion	IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Most important symptoms and effe	ects, both acute and delayed
Symptoms	See section 2 for more information.
Indication of any immediate medica	al attention and special treatment needed
Note to physicians	Treat symptomatically.
	5. FIRE-FIGHTING MEASURES
Suitable extinguishing media Dry chemical, CO2, sand, earth, wate	r spray or regular foam
<u>Unsuitable extinguishing media</u> None	
Specific hazards arising from the c Contents under pressure and can exp	hemical blode when exposed to heat or flames.
Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge	None. May be ignited by heat, sparks or flames.
Protective equipment and precaution	ons for firefighters
	eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions, protective e	quipment and emergency procedures
Personal precautions	Remove all sources of ignition. Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin. Use personal protective equipment as required.
Environmental precautions	
Environmental precautions	See section 12 for additional ecological information.
Methods and material for containm	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use personal protective equipment as required.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
	7. HANDLING AND STORAGE
Precautions for safe handling	

Advice on safe handling Do not puncture or incinerate cans. Contents under pressure. Remove all sources of ignition. Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Use personal protective equipment as required. Extremely slippery when spilled. Do not puncture or incinerate cans. Do not stick pin or any other sharp object into opening

on top of can.

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a cool, well-ventilated place. Keep away from sunlight,
ignition sources and other sources of heat. Do not expose to temperatures exceeding 50
°C/122 °F. Keep out of the reach of children.

Incompatible materials

Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
PETROLEUM GASES, LIQUIFIED	: See Appendix F: Minimal	TWA: 1000 ppm	IDLH: 2000 ppm
68476-85-7	Oxygen Content, explosion hazard	TWA: 1800 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1800 mg/m ³
		(vacated) TWA: 1800 mg/m ³	-
Diethanolamine	TWA: 1 mg/m ³ inhalable fraction	(vacated) TWA: 3 ppm	TWA: 3 ppm
111-42-2	and vapor	(vacated) TWA: 15 mg/m ³	TWA: 15 mg/m ³
	S*		-

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls	Showers Eyewash stations Ventilation systems
Individual protection measures, suc	ch as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties Aerosol Liquid **Physical state** Appearance Clear Amber Liquid Odor Cherry No information available **Odor threshold** Values Remarks • Method Property pН 7.8 Melting point / freezing point No information available 100 °C / 212 °F Boiling point / boiling range Flash point No information available No information available **Evaporation rate** Flammability (solid, gas) No information available Flammability Limit in Air

Other Information Softening point Molecular weight Density Bulk density SADT (self-accelerating decomposition temperature) No information available No information available No information available No information available 1.03 - 1.05 Miscible in water No information available No information available

No information available No information available 8.60 lb/gal No information available No information available

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal use

Chemical stability

Stable under normal conditions

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Keep away from all heat sources, open flames and other sources of ignition.

Incompatible materials

Strong oxidizing agents

Hazardous Decomposition Products

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	May cause irritation of res	May cause irritation of respiratory tract.		
Eye contact	Contact with eyes may ca	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.		
Skin contact	May cause skin irritation a	May cause skin irritation and/or dermatitis.		
Ingestion	Ingestion may cause irritat	Ingestion may cause irritation to mucous membranes.		
Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Diethanolamine	= 780 mg/kg (Rat)	= 11.9 mL/kg (Rabbit)	-	

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

111-42-2

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information	n available.		
Germ cell mutagenicity	No information available.			
Carcinogenicity	The table belo	ow indicates whether each	n agency has listed any ing	redient as a carcinogen.
Chemical name	ACGIH	IARC	NTP	OSHA
Diethanolamine	A3	Group 2B	-	Х
111-42-2				
A3 - Animal Carcinogen IARC (International Age Group 2B - Possibly Carc OSHA (Occupational Sa X - Present	fety and Health Administrati) ion of the US Department o	,	
Target organ effects	Central nervo	us system, Eyes, Respirat	tory system, Skin.	
The following values are calculated based on chapter 3.1 of the GHS documentATEmix (oral)4473 mg/kgATEmix (dermal)53711 mg/kgATEmix (inhalation-gas)3786540 mg/l				
	12. EC0	DLOGICAL INFORM	ATION	

Ecotoxicity

30.5 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

Disperses in water.

Chemical name	Partition coefficient
PETROLEUM GASES, LIQUIFIED	<=2.8
68476-85-7	
Diethanolamine	-2.18
111-42-2	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes	Recover or recycle if possible. Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	Not applicable

14. TRANSPORT INFORMATION

<u>DOT_</u> UN/ID No Proper shipping name Transport hazard class(es)	UN 1950 Aerosols, Limited Quantity (LQ) 2.1
IATA UN number or ID number Proper shipping name Transport hazard class(es)	UN 1950 Aerosols, Limited Quantity (LQ) 2.1
IMDG UN number or ID number Proper shipping name Transport hazard class(es)	UN 1950 Aerosols, Limited Quantity (LQ) 2.1

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Not determined
IECSC	Not determined
KECL	Not determined
PICCS	Not determined
AICS	Not determined

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %	
Diethanolamine - 111-42-2	1.0	
SARA 311/312 Hazard Categories		
Acute health hazard	No	
Chronic Health Hazard	No	
Fire hazard	No	
Sudden release of pressure hazard	No	
Reactive Hazard	No	

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

<u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name Hazardous Substances RQs CERCLA/SARA RQ Reportable Quantity (RQ)
--

Diethanolamine	100 lb	-	RQ 100 lb final RQ
111-42-2			RQ 45.4 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Diethanolamine 111-42-2	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
WATER	-	-	Х
7732-18-5			
PETROLEUM GASES, LIQUIFIED	Х	Х	Х
68476-85-7			
PROPYLENE GLYCOL	Х	-	Х
57-55-6			
Diethanolamine	Х	Х	Х
111-42-2			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

WHMIS Hazard Class

D2A - Very toxic materials, D2B - Toxic materials

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health hazards 2	Flammability
HMIS	Health hazards 2	Flammability

- ability 1 ability 1
 - Instability 0 Physical hazards 0
- Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date	14-Oct-2021
Revision Note	

Disclaimer

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

2

End of Safety Data Sheet