

Revision Date 09-Jan-2021

SAFETY DATA SHEET

Version 1

1. IDENTIFICATION

Product identifier Product Name

Black Magic Intense Ceramic Wheel Cleaner

Other means of identification Product Code Document

35061 SKU 120186; 120187

Recommended use of the chemical and restrictions on useRecommended UseTire DressingUses advised againstNo information available

Details of the supplier of the safety data sheetSupplier AddressManufacturer AddressITW Global Brands16200 Park Row Dr., Suite 120Houston, TX. 77084 ITW Global Brands16200 Park Row, Suite 120Houston, TX 77084Distributor

Manufactured and Distributed by:

May Also Be Distributed by: ITW Permatex Canada 101-2360 Bristol Circle Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994

 Company Phone Number
 1-855-888-1988

 24-hour emergency phone number
 (CHEMTREC) 1-800-424-9300 or 1-703-527-3887 (U.S.)

 (RMPDC) 1-877-504-9352 (U.S.)
 (U.S.)

E-mail address: SDS@itwgb.com

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity

Category 2

Label elements

Emergency Overview

<u>Signal word</u> Warning

Suspected of causing cancer



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC) Not applicable

. .

Other Information

Not applicable.

Unknown acute toxicity

11.11641 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical name | CAS No | Weight-% |
|-------------------------|------------|----------|
| WATER | 7732-18-5 | 60 - 100 |
| Isopropanol | 67-63-0 | 0.1 - 1 |
| cocamide diethanolamine | 68603-42-9 | 0.1 - 1 |
| Methanol | 67-56-1 | <0.1 |
| Diethanolamine | 111-42-2 | <0.1 |

4. FIRST AID MEASURES

| Description of first aid measures | |
|-----------------------------------|--|
| General advice | Get medical advice/attention if you feel unwell. |
| Eye contact | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| Skin contact | IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician. Take off contaminated clothing and wash before reuse. |
| Inhalation | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician. |

| Ingestion | IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician. | |
|--|--|--|
| Self-protection of the first aider | Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. | |
| Most important symptoms and effe | ects, both acute and delayed | |
| Symptoms | See section 2 for more information. | |
| Indication of any immediate medic | al attention and special treatment needed | |
| Note to physicians | Treat symptomatically. | |
| | 5. FIRE-FIGHTING MEASURES | |
| <u>Suitable extinguishing media</u> Carbon dioxide (CO2), Use dry chem | ical, Foam | |
| <u>Unsuitable extinguishing media</u> None | | |
| Specific hazards arising from the c None in particular. | hemical | |
| <u>Explosion data</u> Sensitivity to Mechanical Impact Sensitivity to Static Discharge | None. None. | |
| Protective equipment and precauti As in any fire, wear self-contained bre protective gear. | ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full | |
| | 6. ACCIDENTAL RELEASE MEASURES | |
| Personal precautions, protective e | quipment and emergency procedures | |
| Personal precautions | Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin. Use personal protective equipment as required. | |
| Environmental precautions | | |
| Environmental precautions | See Section 12 for additional Ecological Information. | |
| Methods and material for containm | ent and cleaning up | |
| Methods for containment | Prevent further leakage or spillage if safe to do so. | |
| Methods for cleaning up | Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use personal protective equipment as required. | |
| Prevention of secondary hazards | Clean contaminated objects and areas thoroughly observing environmental regulations. | |
| | 7. HANDLING AND STORAGE | |
| Precautions for safe handling | | |
| Advice on safe handling | Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required. | |

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Strong oxidizing agents

Control parameters

Exposure Guidelines

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|----------------|---|--|------------------------------|
| Isopropanol | STEL: 400 ppm | TWA: 400 ppm | IDLH: 2000 ppm |
| 67-63-0 | TWA: 200 ppm | TWA: 980 mg/m ³ | TWA: 400 ppm |
| | | (vacated) TWA: 400 ppm | TWA: 980 mg/m ³ |
| | | (vacated) TWA: 980 mg/m ³ | STEL: 500 ppm |
| | | (vacated) STEL: 500 ppm | STEL: 1225 mg/m ³ |
| | | (vacated) STEL: 1225 mg/m ³ | - |
| Methanol | STEL: 250 ppm | TWA: 200 ppm | IDLH: 6000 ppm |
| 67-56-1 | TWA: 200 ppm | TWA: 260 mg/m ³ | TWA: 200 ppm |
| | S* | (vacated) TWA: 200 ppm | TWA: 260 mg/m ³ |
| | | (vacated) TWA: 260 mg/m ³ | STEL: 250 ppm |
| | | (vacated) STEL: 250 ppm | STEL: 325 mg/m ³ |
| | | (vacated) STEL: 325 mg/m ³ | - |
| | | (vacated) S* | |
| Diethanolamine | TWA: 1 mg/m ³ inhalable fraction | (vacated) TWA: 3 ppm | TWA: 3 ppm |
| 111-42-2 | and vapor | (vacated) TWA: 15 mg/m ³ | TWA: 15 mg/m ³ |
| | S* | | Ũ |

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

| Engineering Controls | Showers Eyewash stations Ventilation systems |
|-----------------------------------|--|
| Individual protection measures, s | uch as personal protective equipment |
| Eye/face protection | Wear safety glasses with side shields (or goggles). |
| Skin and body protection | Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves. |
| Respiratory protection | Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as |

appropriate.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

| 9.1. Information on basic physical and chemical properties | | | | | |
|--|--------------------------|------------------|--|--|--|
| Physical state | No information available | | | | |
| Appearance | No information available | | | | |
| Odor | No information available | | | | |
| Odor threshold | No information available | | | | |
| Property_ | Values_ | Remarks • Method | | | |
| pH | No information available | | | | |
| Melting point / freezing point | No information available | | | | |
| Boiling point / boiling range | No information available | | | | |
| Bonnig point, bonnig range | No information available | | | | |

| Evaporation rate | No information available |
|--|--------------------------|
| Flammability (solid, gas) Flammability Limit in Air | No information available |
| Upper flammability limit: | No information available |
| Lower flammability limit: | No information available |
| Vapor pressure | No information available |
| Vapor density | No information available |
| Relative density | No information available |
| Water solubility | No information available |
| Solubility(ies) | No information available |
| Partition coefficient | No information available |
| Autoignition temperature | No information available |
| Hyphen | No information available |
| Kinematic viscosity | No information available |
| Dynamic viscosity | No information available |
| Explosive properties | No information available |
| Oxidizing properties | No information available |
| Other Information | |
| Softening point | No information available |
| Molecular weight | No information available |
| Density | No information available |
| Bulk density | No information available |
| SADT (self-accelerating | No information available |
| decomposition temperature) | |
| ······································ | |
| | |

ailable ailable ilable ilable ailable ailable ailable ailable ailable ailable ailable ailable ailable ilable ilable

10. STABILITY AND REACTIVITY

Reactivity

No information available

Chemical stability

Stable under normal conditions

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Excessive heat.

Incompatible materials Strong oxidizing agents

Hazardous Decomposition Products

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| Inhalation | May cause irritation of respiratory tract. | |
|--------------|--|--|
| Eye contact | Contact with eyes may cause irritation. May cause redness and tearing of the eyes. | |
| Skin contact | May cause skin irritation and/or dermatitis. | |
| Ingestion | Ingestion may cause irritation to mucous membranes. | |
| | | |

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------|--------------------|-----------------------|-------------------------------------|
| WATER | > 90 mL/kg (Rat) | - | - |
| 7732-18-5 | | | |
| Isopropanol | = 1870 mg/kg (Rat) | = 4059 mg/kg (Rabbit) | = 72600 mg/m ³ (Rat) 4 h |

| 67-63-0 | | | |
|---------------------------------------|--------------------|-----------------------|----------------------|
| cocamide diethanolamine 68603-42-9 | > 5000 mg/kg (Rat) | > 2 g/kg (Rabbit) | - |
| Methanol 67-56-1 | = 6200 mg/kg (Rat) | = 15840 mg/kg(Rabbit) | = 22500 ppm (Rat)8 h |
| Diethanolamine 111-42-2 | = 780 mg/kg (Rat) | = 11.9 mL/kg (Rabbit) | - |

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Sensitization Germ cell mutagenicity Carcinogenicity | No informati | on available. on available. Now indicates whether each | agency has listed any ingre | edient as a carcinogen. |
|--|--------------|--|-----------------------------|-------------------------|
| Chemical name | ACGIH | IARC | NTP | OSHA |
| Isopropanol 67-63-0 | - | Group 3 | - | Х |
| cocamide diethanolamine 68603-42-9 | - | Group 2B | - | Х |
| Diethanolamine 111-42-2 | A3 | Group 2B | - | Х |

IARC (International Agency for Research on Cancer) Group 2B - Possibly Carcinogenic to Humans

Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

The following values are calculated based on chapter 3.1 of the GHS document ATEmix (oral) 15020 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

1.25341 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

| Chemical name | Partition coefficient |
|----------------------------|-----------------------|
| Isopropanol 67-63-0 | 0.05 |
| Methanol 67-56-1 | -0.77 |
| Diethanolamine 111-42-2 | -2.18 |

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

| Disposal of wastes | Disposal should be in accordance with applicable regional, national and local laws and regulations. |
|------------------------|---|
| Contaminated packaging | Do not reuse container. |
| US EPA Waste Number | Not applicable |

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical name | California Hazardous Waste Status |
|---------------|-----------------------------------|
| Isopropanol | Toxic |
| 67-63-0 | Ignitable |
| Methanol | Toxic |
| 67-56-1 | Ignitable |

14. TRANSPORT INFORMATION

| DOT Proper shipping name | Not regulated |
|------------------------------|---------------|
| IATA Proper shipping name | Not regulated |
| IMDG Proper shipping name | Not regulated |

| 15. REGULATORY INFORMATION | | |
|----------------------------|-----------------------------|--|
| International Inventories | | |
| TSCA | Complies | |
| DSL/NDSL | Complies | |
| EINECS/ELINCS | Does not comply | |
| ENCS | Does not comply | |
| IECSC | Complies | |
| KECL | Complies | |
| PICCS | Does not comply | |
| AICS | Complies | |
| KECL PICCS | Complies Does not comply | |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| SARA 311/312 Hazard Categories | |
|-----------------------------------|----|
| Acute health hazard | No |
| Chronic Health Hazard | No |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| | |

Reactive Hazard

No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|----------------|--------------------------|----------------|--------------------------|
| Methanol | 5000 lb | - | RQ 5000 lb final RQ |
| 67-56-1 | | | RQ 2270 kg final RQ |
| Diethanolamine | 100 lb | - | RQ 100 lb final RQ |
| 111-42-2 | | | RQ 45.4 kg final RQ |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

| Chemical name | California Proposition 65 |
|-------------------------|---------------------------|
| cocamide diethanolamine | Carcinogen |
| 68603-42-9 | |
| Methanol | Developmental |
| 67-56-1 | |
| SILICON DIOXIDE | Carcinogen |
| 7631-86-9 | |
| Diethanolamine | Carcinogen |
| 111-42-2 | - |

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|-----------------------------------|------------|---------------|--------------|
| Isopropanol 67-63-0 | Х | Х | Х |
| SILICON DIOXIDE 7631-86-9 | - | Х | Х |
| Diethanolamine 111-42-2 | Х | Х | Х |
| Deionized Water 7732-18-5 | - | - | Х |
| Sodium Hydroxide 50% 1310-73-2 | Х | Х | Х |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA

Instability 0

HMIS

Physical hazards 0

Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date

09-Jan-2021

Disclaimer

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site. End of Safety Data Sheet